



File Name: canon gp e2 gps receiver manual.pdf

Size: 2254 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 1 May 2019, 14:43 PM

Rating: 4.6/5 from 673 votes.

Status: AVAILABLE

Last checked: 6 Minutes ago!

In order to read or download canon gp e2 gps receiver manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon gp e2 gps receiver manual . To get started finding canon gp e2 gps receiver manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon gp e2 gps receiver manual



This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size Routes the camera has traveled can be viewed in Google Earth or other map software by loading the KMZ files. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Use it to reduce light reflections from glass and water surfaces or to improve color saturation. Simple to use, these filters polarize light circularly, rather than linearly, so they do not interfere with autofocus or TTL light metering. For use with most EF lenses and PowerShot cameras. Requires Conversion Lens Adapter which is specific to camera model. Filter fits select lenses with a 58mm diameter. Filter fits select lenses with a 67mm diameter. These filters can also help protect your lens against dust, moisture, fingerprints, scratches and damage and can be kept on your lens at all times. Filter fits select lenses with a 72mm diameter, please see Compatibility tab for compatible lenses. Use it to reduce light reflections from glass and water surfaces or to improve color saturation. Simple to use, these filters polarize light circularly, rather than linearly, so they do not interfere with autofocus or TTL light metering. These filters can also help protect your lens against dust, moisture, fingerprints, scratches and damage and can be kept on your lens at all times. Filter fits select lenses with a 77mm diameter, please see Compatibility tab for compatible lenses. The kit includes DC coupler to attach to the cameras battery port. AC adapter to convert the power. AC cord to plug into the wall. <http://adaviestransportltd.com/userfiles/dp-fusion-fx-manual.xml>

- **canon gp-e2 gps receiver manual, canon gps receiver gp-e2 instruction manual, canon gp e2 gps receiver manual.**




Adapter EcC, EdC Designed for use in warm and humid or cold weather when fogging is most likely to occur, and attaches easily to reduce condensation and help you maintain a clear view of your subject. Compatible with Canon LCE6 and Canon LCE6E battery chargers. This allows for uninterrupted recording of your special events and keeps your batteries ready to go. For use with both EOS and certain PowerShot cameras. It provides up to four years of service and support from the date you purchased your Canon product. Also compatible with the S80, S2 IS, S1 IS. Holds 12 Cameras bodies, 34 lenses and accessories. Inside measurements W x H x D 10 x 14.75 x 5 inches. Rugged nylon, waterrepellent, urethane coated for extra durability. Wellarranged divider system for secure storage and easy access. Lightweight construction, padded shoulder straps and back for comfort. Front webbing ideal for storing a light jacket. Tripod carrying straps. Color Black with Olive. Front and Rear zippered pouches. Zippered fulllength mesh pouch inside top cover. Divider system for secure storage and easy access. It is designed to hold two 35mm SLR bodies, 5 8 lenses, plus film and accessories. It features a 3way pan head for precise control and smooth movement. The 3section tubular leg construction allows for exceptional stability indoors or out. The Deluxe Tripod 300 features a 3 way pan head for precise control while the 3 section tubular leg construction allows enhanced stability indoors and outdoors. Can hold your cameras, lenses, accessories and even a laptop computer. Durable, waterrepellent nylon exterior. Padded interior dividers and easyaccess storage pockets. The lens fits into the eyepiece holder of you EOS camera. Please see the Compatibility tab for a list of compatible EOS cameras. The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. <http://chinathermalspraying.com/uploads/files/1600912484.xml>



The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. Requires Rubber Frame Ef, Eb or Ec The lens fits into the eyepiece holder of you EOS camera. The lens fits into the eyepiece holder of you EOS camera. Please see the Compatibility tab for a list of compatible EOS cameras. The

lens fits into the eyepiece holder of your EOS camera. Please see the Compatibility tab for a list of compatible EOS cameras. EOS Scene Detection System. 61-Point High Density Reticular AF. Newly designed 50.6 Megapixel full-frame CMOS. EOS Scene Detection System. 61-Point High Density Reticular AF. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. Using the provided software Map Utility, you can view shooting locations and the route traveled. The receiver can also set the camera time via GPS. The camera time can be set using GPS signals. On the EOS1D X, high-precision adjustment is performed with a margin of error of approx. The icons and markings indicating the receiver's controls and settings used in the manual correspond to the icons and marking on the camera and on the receiver. Battery life varies depending on the positioning interval for location information, as well as GPS signal conditions p.19. Keep your hand or other objects off the top of the receiver. Turn the power switch to on to start automatic GPS signal acquisition. Indoors, underground, near buildings or in valleys, in tunnels or forests Near high-voltage power lines or mobile phones operating on the 1.

5 GHz band When the receiver is inside a bag or suitcase. On cameras other than the EOS 7D, simply shoot with the receiver attached to your camera. Daily logs p.24 are saved on the receiver itself. Shorter positioning intervals yield more accurate location information for your images. However, this also consumes more battery power. Also calibrate the compass if the direction shown as you shoot seems incorrect. Be careful not to drop the camera during calibration. The EOS1D X performs high-precision adjustment with a margin of error of approx. In certain countries and regions, the use of GPS may be restricted. Therefore, be sure to use GPS in accordance with the laws and regulations of your country or region. Be particularly careful when traveling outside your home country. GPS Receiver Solution Disk Includes receiver software and the instruction manual. Map Utility This software uses location information recorded by the receiver to show shooting locations, shooting directions, and routes traveled with the receiver on a virtual map. Doubleclick the CDROM icon. Doubleclick the CDROM icon. Macintosh This icon is displayed on the desktop. Attach the camera and receiver to the bracket as shown. Keep the camera aligned with the bracket during attachment. Even a little misalignment will prevent accurate direction recording. Receiver specifications and appearance are subject to change without notice. Become familiar with the precautions before using the receiver to ensure correct and safe operation. Warning Preventing Serious Injury or Death To prevent fire, excessive heat, chemical leakage, or explosion, follow these safety guidelines. If the unit malfunctions, becomes damaged, or requires repair, contact your dealer or a Canon Service Center. Handling Precautions Handle the receiver in accordance with "Handling Precautions Camera. For information on compatibility with the cameras and accessories marketed after this date, contact your nearest Canon Service Center.



<https://www.thebiketube.com/acros-bosch-kbd-digital-manual-0>


HEADQUARTERS 6390 Dixie Road, Mississauga, Ontario L5T 1P7, Canada CANON CANADA INC. In this manual, the windows used in the examples are from Windows 7. GPS receiver or camera is displayed as an icon. Click to move to the relevant page. Marks information that should be read before use. Marks additional information you may find helpful. GPE1 EOS 6D Switching Between Pages. Click on arrows on the bottom right of the screen. next page previous page return to a page you had previously displayed COP Y Siguiente Switching Between PagesGeotag images GPE2. Map Utility version 1.5 is a software utility for viewing the shooting Use GPS. Pagina 4 System Requirements Supported FilesDownloading and Installing Map Utility Version 1.5. 2. Main Features of Map Utility Version 1.5. Pagina 6 Starting Up Map Utility. Pagina 7 Viewing Image Location Information. Import images into Map Utility and view location information. To magnify an image, doubleclick the. Pagina 8 Importing GPS Log Files from the GPS ReceiverPagina 9 Imported GPS log files are saved in the following locations. Pagina 10 Importing GPS Log Files from the Computer Editing Information in GPS Log Files. Import GPS log files saved on the. Pagina 11 Removing Unnecessary GPS Log Files from the ListPagina 12 Geotagging Images. Images without location information can be geotagged as follows.Pagina 13 Geotagging Images AutomaticallyPagina 18 PreferencesPagina 20 List of Main Window Functions. This button enables you to export images and location information in the image list. Pagina 22 ReferencePagina 23 About This Instruction Manual. It's an ideal tool for photographers on the move. Key features include The GPE2's smart design and rugged construction ensure reliability and allow it to function as a standalone GPS recorder. This is an ideal tool for photographers on the move.

<http://www.gongoff.com/images/buddy-tekwing-manual.pdf>



It's also available when using the Canon EOS 7D with the following limitations To install it, use the EOS Digital Solution Disk download, not the standalone installer. The shopping cart will automatically update the quoted price as you adjust the length of your rental. Our most common rental periods are shown below Try it, then buy it. This lightweight, compact unit can also serve as an electronic compass or a standalone GPS recorder. It was designed specifically for the EOS system, and offers USB and hotshoe connections with the EOS 5D Mark III and the EOS1D X USB connection only with the EOS 7D. Its also compatible with the Rebel T5i via USB, and with the EOS Rebel T4i and Rebel SL1 via the Digital terminal on each camera. It is also quite common that customers throw out User manuals are also Try Google Search! Interfit super 5 Interfit Super Coolite 5 Two Light Kit 120V AC INT117 Posted by grover massenburg 20200820 185725 Manual. GLI Pro sl2500 Direct Drive Professional Turntable Gli pro SL2500 Direct Drive Manual Turntable SL2500 Posted by Cristian Diaz 20200819 033819 GLI Pro sl2500 Direct Drive Professional Turntable. Kit RODLNKFM Rode RodeLink Wireless Filmmaker Kit RODLNKFM Posted by Rick 20200818 143821 Hello, could you please send me rodelink filmmaker manual in spanish. Thank you in advance However, when I charge it, the red light become green for a second and then still on the charge starts to flash red again. Is my lamp dead. Click OK to extend your time for an additional 30 minutes. The GPE2 records location information such as longitude, latitude, elevation, direction and Universal Coordinated Time UTC as EXIF data, while also serving as an electronic compass on camera or off. Versatile connectivity options include USB and hot shoe connections with the EOS 5D Mark III and the EOS1D X USB connection only with the EOS 7D; smart design and rugged construction ensures reliability plus the ability to be used as a standalone GPS recorder.

<http://chamabusinesscenter.com/images/budenberg-dead-weight-tester-580-manual.pdf>



The newest GPS system designed specifically for the EOS system, the GPE2 is an ideal tool for photographers on the move. Routes the camera has traveled can be viewed in Google Earth or other map software by loading the KMZ files. EOS M og EOS Rserierne af spejllose fullframekameraer leverer samme styrke som et digitalt spejlreflekskamera i et kompakt kamera. Fa mere at vide om vores brug af cookies og rediger dine cookieindstillinger her. Du accepterer vores brug af cookies pa din enhed ved at fortstte med at bruge vores webside eller ved at klikke pa Jeg accepterer. Det tager 1 minut og vil hjelpe os med at forbedre vores supportwebsted. The GPE2 records location information such as longitude, latitude, elevation, direction and Universal Coordinated Time UTC as EXIF data, while also serving as an electronic compass on camera or off. The newest GPS system designed specifically for the EOS system, the GPE2 is an ideal tool for photographers on the move. Automatic geotagging when shooting supported by EOS1D X and later cameras EOS 5D Mark III and EOS 7D supported with a firmware update Manual geotagging after shooting from logging information supported by all EOS DIGITAL cameras When the EOS 7D is used with the GPE2 the following restrictions will apply a geotagging function will not work for movies while recording b geotagging features will not work for movies when using the Map Utility c electronic compass information and automatic time setting is not available d transmission via the hot shoe is not possible Fristen regnes fra den dag, hvor du har modtaget varen. Ingen fortrydelsesret Vi kan tilbageholde betalingen, indtil vi har modtaget varen, med mindre du sender os dokumentation for at have returneret den. Reklamationsretten bortfalder, hvis manglen er forarsaget af kober, eksempelvis som følge af fejlagtig eller uautoriseret reparation eller brug, hvis serienummer er fjernet eller odelagt. Det sikrer dig op til 50.

000 kroner, hvis et problem skulle opsta i forbindelse med dit kob. For at vre omfattet af Kobsgarantien, skal du blot vre registreret medlem pa PriceRunner. For dig, der ikke er medlem pa PriceRunner og har besøgt os via deres tjeneste, sa kan du stadig fa dit kob sikret gennem Kobsgarantien. Det eneste, du behøver at gore, er inden for en time at registrere dig pa deres hjemmeside. Det koster ingenting og tager kun et ojeblink. Registrer dig for at fa PriceRunner Kobsgaranti PriceRunner Kobsgaranti sikrer dig i tilfælde af skade pa varen ved levering, odelagt vare, hvis en vare mangler ved levering, hvis varen er forkert eller fejlbehftet eller hvis levering af

varen udebliver. Husk på, at bestillingen skal være adresseret til dig personligt. Hvis noget går galt i forbindelse med dit køb, dækker Købsgarantien dig for såvel anskaffelsesomkostninger som fragtudgifter. Du får også erstatning for den direkte økonomiske skade, du eventuelt har lidt på grund af fejlen. Købsgarantien erstatter ikke eventuelt vrådtab, udeblevne indtægter eller andre direkte eller indirekte omkostninger. Besøg PriceRunner for at se de endelige betingelser samt en liste med kategorier, der er undtaget garantien. Som den mest benyttede til produkt og prissammenligninger hjulper PriceRunner hver måned mere end en million danskere med at sammenligne produkter. PriceRunner blev etableret i 2000 og har altid været uafhængig og gratis at bruge. Reklamationsret Reklamationsretten bortfalder, hvis manglen er forårsaget af køber, eksempelvis som følge af fejlagtig eller uautoriseret reparation eller brug, hvis serienummer er fjernet eller odelagt. Det betyder, at du har reklamationsret i 24 måneder. Hvis du reklamerer inden for to måneder efter, at fejlen er opdaget, vil reklamationen altid være rettidig. Er reklamationen berettiget, refunderer vi dine rimelige fragtomkostninger. Varen skal altid sendes tilbage i forsvarlig emballage.

<https://aquaticlandscape.com/wp-content/plugins/formcraft/file-upload/server/content/files/162719eb7b10a0--branson-sonicator-450-manual.pdf>

Husk også at få en kvittering for afsendelse, så vi kan tilbagebetale dine fragtomkostninger. Reklamationsretten bortfalder, hvis manglen er forårsaget af køber, eksempelvis som følge af fejlagtig eller uautoriseret reparation eller brug, hvis serienummer er fjernet eller odelagt. Det betyder, at du har reklamationsret i 24 måneder. Hvis du reklamerer inden for to måneder efter, at fejlen er opdaget, vil reklamationen altid være rettidig. Er reklamationen berettiget, refunderer vi dine rimelige fragtomkostninger. Husk også at få en kvittering for afsendelse, så vi kan tilbagebetale dine fragtomkostninger. Vivamus at nulla sed velit tincidunt volutpat quis eget erat. Sed tempus, eros bibendum venenatis congue, velit ligula porttitor est, vitae convallis tellus sapien non turpis. Etiam lacus risus, gravida ac bibendum ut, iaculis tempor dui. Proin tincidunt mollis lorem consequat blandit. Vivamus vitae suscipit lacus. Donec euismod odio tortor, ut lacinia lectus placerat finibus. Pellentesque cursus nisi velit. Sed tempus purus a ipsum laoreet consectetur. Integer porttitor dolor a suscipit pharetra. Cras luctus pulvinar tellus vitae cursus. Proin ultricies neque massa, vel pulvinar odio tincidunt quis. Nulla at erat sit amet justo gravida vestibulum. Nulla sed sem ac ex interdum ultricies. Vivamus sed velit ipsum. Aenean nec laoreet purus, non semper tortor. Nam a aliquam risus. Etiam dictum at odio eget mattis. Nam ullamcorper nulla et ex euismod, in varius nunc fringilla. Etiam vitae ultrices leo, vel venenatis justo. You must have JavaScript enabled in your browser to utilize the functionality of this website. Free delivery on orders over 100 Special Order items usually take between 5-7 working days to dispatch. Please contact us if you would like more information. The GPE2 records location information such as longitude, latitude, elevation, direction and Universal Coordinated Time UTC as EXIF data, while also serving as an electronic compass on camera or off.

The newest GPS system designed specifically for the EOS system, the GPE2 is an ideal tool for photographers on the move. The more you spend on new, the more you get for your old! Read the FAQ. We will consider partexchanges against all purchases, but the Summer PartEx Bonus promotion or up to 20% more for your partexchange is only valid when you buy new not PreOwned cameras, lenses, camcorders, binoculars and spotting scopes. Summer PartEx Bonus is not applicable to accessories including tripods, bags, graphics tablets, telescopes and camera accessories including battery grips, extension tubes, cables, memory cards, etc. This list is not exhaustive and represents examples of excluded categories, please refer to the included items. Offer Expires 27092020 Use single quotes for phrases. We never share your details with anyone else. By continuing to browse the site you are agreeing to our use of cookies. Please check the box to consent to receiving electronic messages from Canon Canada Inc., which include relevant information about

products, services and promotions. You may withdraw your consent at any time by selecting NO. Any pending input will be lost. For details about how to attach and use the receiver, refer also to the receivers instruction manual. Therefore, be sure to use GPS in accordance with the laws and regulations of your country or region. Be particularly careful when traveling outside your home country. Be careful when sharing recordings with others, as when posting them online where many others can view them. The time will not be adjusted while recording. Was this answer helpful. Please include additional comments below. Please try again. If you require assistance, please visit our. You may experience shipping delays. Learn more about our response to COVID19. Once your order is placed, it cannot be cancelled. Find out more. Find out more. We make every effort to ensure our prices are accurate.

We do, however, reserve the right to advise you of any errors prior to processing your invoice. If you are not willing to accept changes on these errors we will cancel your order. Henrys reserves the right to limit quantities. We apologize for any inconvenience this may cause. You must have JavaScript enabled in your browser to utilize the functionality of this website. Sell your camera today and get top market value. Shows moderate wear Glass may have slight Purchase this manual if you need more information about specifications, settings, or features of this item. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. See All Buying Options Add to Wish List Disabling it will result in some disabled or missing features. You can still see all customer reviews for the product. Im terrible at documenting where images were captured so I wanted something reasonably bullet proof. Heres some tips I learned from my experience 1. When I first got it I powered it up to verify that it worked, then loaded in the latest software from Canon that said would fix some bugs. So far, so good. No problems after four weeks on the road. 2. It finds a position within a couple minutes of being turned on longer if significant portions of the sky are blocked by buildings such as in Beijing. I thought I would try saving battery life by slowing down the frequency of getting a fix to a couple minutes. Wrong thing to do, it wouldnt get a fix in any reasonable amount of time. I went back to the default and it works fine. 3. I switched to rechargeable high capacity NiMH batteries before I left, I got a couple days worth of shooting, about 12 hours total, before needing to recharge. 4. I turned on the camera option to sync the camera clock to the GPS.

I mistakenly thought that it would also change the time zone, it doesnt. You must still manually change the time zone to get the correct time stamp in the photo exif data. The satellite view is reasonably accurate, the street map view is about a quarter mile off. Im pretty sure its a Google Maps issue and not a Canon issue since you can see the same discrepancy in a Google Maps view of China cities. Im used the map software several time to determine which temple I was at or where a photo was taken on the Yangtze river cruise. 6. As others have noted, the GPS unit is quite large. My 70D will not fit in any of the camera bags I have with the unit connected. When disconnected theres no problem finding a place in the bag. The Good When connected to a Canon 5D III or 1DX, it will put the GPS info in the camera file directly without any other software needed. The unit can be set up to keep the camera clock accurate. It is important that the GPS and camera have the same time if the GPS data for the image is to be accurate. The Bad 1. The accuracy isnt as good as hand held GPS units like the Garmin GPSmap 76CSx. 2. The unit can create a track log, but the only way to see it is to use the included software. That software can show the track or the location of the images, but not at the same time. You must switch back and forth between the two. For me, that is unacceptable. 3. The unit cant be seen by a computer, and the software doesnt allow for any export of the track log, except in a Goggle Earth format. 4. When track log files are uploaded to the software, they are stored in a place of Canons choosing, and it is a pain to find them. The files are stored as NMEA 0183 sentence and it should be possible to convert them to GPX, etc. The problem here is that the NMEA 0183 files are defective and cant be converted with normal conversion software because the

files have a token saying that the file is corrupt. I use the Map Module in Lighroom 4.

1 which requires that the track log files be in GPX format. That means I cant use this unit and display a track. Because of these problems, I am returning the unit as I write this. Wil Edit Time went, and the bird flew, and a miracle has happened for the GPE2 and Lightroom, or any other application that needs proper track log files. Heres the story. 1. The GPE2 can create track log files in the unit itself. The supplied Map Utility application must be used to gain access to anything in the GPE2. That includes generating a track log file on the computer. It does that very well. 2. The GPE2 specs indicate that the files are NMEA 0183 sentences, and they do look like such files, but there is a huge problem. Each track location is marked as invalid by the Map Utility application and renders these files useless in any application except Map Utility. 3. Lightroom and many other photo applications require a different kind of file. Lightroom requires a GPX file so the GPE2 log files cant be used in Lightroom, even if they were proper NMEA 0183 files. 4. The universal application to convert such files to other formats is GPSBable. Just use GPSBable to convert GPE2 NMEA 0183 files to GPX files and use them in Lighroom. GPSBable would convert the files just fine, but the problem was that only the header and end portion of the file got converted because each of the GPE2 track positions are marked as invalid and GPSBable honored that tag. 5. Along with me, at least one other person contacted the author of GPSBable about this problem. In about two weeks, he produced an updated version of GPSBable that worked around this issue, and now GPSBable will convert the corrupted GPE2 NMEA 0183 files to any of the many other formats supported by GPSBable. This is truly remarkable work. 6.

Before GPSBable fixed the problem, the only way I could compare the tracks created by the GPE2 and my Garmin GPSmap 76CSX was to view the GPE2 track in Map Utility and the track created with my 76CSX in Lightroom. The Lightroom tracks from the 76CSX were always the most accurate. 7. Now I can view the converted GPE2 tracks in Lightroom and they seem to be identical to the ones generated with my 76CSX. For best accuracy, set the time interval to one second. It would be 5 stars if the GPE2 generated proper GPX files in the first place. If you have a Canon camera that this unit works on, I highly recommend it, if you follow what is in this edited review. Wil Please try again later. CY 4.0 out of 5 stars Later I found my USB port on the camera not working anymore even for downloading photos!. I must have damaged it. The good news is that the GPS unit still works. So caution for 7D users. I used this device for log tracking during a recent trip from China to South Africa and back via Singapore. The device picked up signal even during the flight. However, there are times the GPS LED blinked as if it was online but later I could not find data for that period. Even after I reset it by turning it off and on. But overall it recorded most of the trip. Still very useful. I use Powrex 2700mA batteries. I do have some complaints 1. The USB connector on the GPS side is Mini USB but different from the camera side, one is type A and the other is type B. Therefore it does not come with a cable to connect to a PC. How does Canon expect the user to download the track info 2. The blinking lights are not intuitive. You will have to stare at the lights for a few seconds each time to know the status. This is not normal. 3. The location signal wonders sometimes. About 2030% of the photos need a little tweak to get to the exact location about 30 feet. This is not too big a deal unless you seek real perfection. The unit is also pretty big and takes the place of the flash light.

But it does what its supposed to do and saves time from manually tagging so its a big help. I hope the next firmware update will improve the LED indicators. Please try again later. Please try again later. Jaron 3.0 out of 5 stars Handheld GPS much better for tagging photos. Works on my Canon Rebel T5 with the cable connection and hotshoe. Works on my Canon 5D Mark iii with the hotshoe alone. Pros Better than nothing Direction data on the Canon 5dmkiii is useful Battery life is better than previous reviews. I found I could use it for a week or more during the day with a logging frequency of 5 seconds without changing the battery. Cons Seems like every import I did, there would always be one or two photo that were tagged in the complete wrong location. I have been

taking clusters of photos for work about every 1000 feet, and I need the location data on each photo taken there. I found myself checking the time stamp to make sure photos were taken in the location this device said they were. Bulky on top of an already large camera. Conclusion I switched to using a Garmin handheld GPS and tracking my position as I take photos. I then import the tracklog into Lightroom and autotag the photos. This method has been 100% accurate and easy..Please try again later. Please try again later. B. J. Carlton 2.0 out of 5 stars The plan was to attach the unit to one camera, which would allow direct geotagging, and to generate a tracklog, which could be used later to geotag the images taken with the other camera. The unit works great for the first purpose, and, at least for me, not at all for the second. The supplied Canon software downloads the tracklogs and the images, and generates a pretty map, but freezes Im running a Mac, with OSX 10.7 when I direct it to auto tag the downloaded images. So what about a workaround No luck. Canon uses a proprietary GPS format. It can output.kmz files, which Google Earth can read, but programs like Lightroom 4 require the far more standard.gpx files.

<http://schlammatlas.de/en/node/16867>